

Section G: PREOPERATIVE MEDICATIONS

Section Intent: Medications are time sensitive and should reflect currently prescribed medications. The intent is to capture relevant current or long-term pharmacological disease management as close to the surgical procedure as possible. This does not include one time administration of medications due to pathway guidelines or procedural preparation. This list includes the more common category drugs, but is not meant to be an all inclusive list. Please refer to your Institutional Pharmacy Formulary for specific pharmacological products used at individual sites.

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document
890	Meds-Beta Blockers	Indicate whether or not the patient received beta blockers within 24 hours preceding surgery, or if beta blocker was contraindicated or not indicated. The contraindication must be documented in the medical record by a physician, nurse practitioner, or physician assistant	<p>Beta blockers have been proven to increase survival in cardiac patients.</p> <p>Used for the treatment of:</p> <ol style="list-style-type: none"> 1. High blood pressure 2. Treating chest pain or angina 3. Controlling irregular heart rhythms 4. Slowing ventricular rate response 5. Treating congestive heart failure <p>“Preoperative Beta-Blocker Use and Mortality and Morbidity Following CABG Surgery in North America.” Ferguson TB Jr, Coombs LP, Peterson ED; The Society of Thoracic Surgeons National Adult Cardiac Surgery Database. JAMA 2002 May 1;287(17):2221-7</p> <p>Received a beta blocker within 24 hours preceding surgery</p> <p>Did not receive a beta blocker within 24 hours preceding surgery, no reason documented</p>	<p>Admission assessment History & Physical Medication administration record Physician order sheet Pre-anesthesia record</p>
		-Yes		
		-No		

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document
890 (continued)	Meds-Beta Blockers	-Contraindicated/Not Indicated	<p>Documented evidence of contraindication: For each medication, check if the medication was not administered or ordered according to data specification timeframe as documented anywhere in the medical record. If a contraindication is documented explicitly as excluded for medical reasons, or is evidenced clearly within the medical record (notation of a medication allergy prior to arrival), check "Contraindication." Otherwise, do not check "Contraindication."</p> <p>See Beta Blocker Table on the next page for a list of the more common beta blocker medications. This table is not meant to be an all-inclusive list.</p>	

Beta Blocker Table

Brand Name	Generic Name
BETA ADRENERGIC BLOCKERS	
Betapace Betapace AF	Sotalol
Blocadren	Timolol
Brevibloc	Esmolol
Cartrol	Carteolol
Coreg Coreg CR	Carvedilol
Corgard	Nadolol
Inderal Inderal LA Innopran XL	Propranolol
Kerlone	Betaxolol
Levatol	Penbutolol
Lopressor Toprol XL	Metoprolol
Sectral	Acebutolol
Tenormin	Atenolol
Trandate Normodyne	Labetalol
Visken	Pindolol
Zebeta	Bisoprolol
BETA BLOCKERS-COMBINATION PRODUCTS	
Corzide	Nadolol-Bendroflumethiazide
Inderide	Propranolol-HCT
Tenoretic	Atenolol-Chlorthalidone
Ziac	Bisoprolol-HTC

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document
900	Meds-ACE or ARB Inhibitors	<p>Indicate whether the patient received ACE inhibitors or ARBs within 24 hours preceding surgery, or if ACE inhibitors or ARBs was contraindicated or not indicated. The contraindication must be documented in the medical record by a physician, nurse practitioner, or physician assistant.</p> <p>-Yes</p> <p>-No</p> <p>-Contraindicated/Not Indicated</p>	<p>The primary use is for the treatment of hypertension, but is also an essential treatment for congestive heart failure (reduces the workload of the heart).</p> <p>The drug action is to inhibit the release of the hormone angiotensin II that constricts blood vessels causing an increase in blood pressure. Therefore, blood vessels dilate to increase systemic blood flow to the heart.</p> <p>Some ACE inhibitors have additional diuretic components to increase the elimination of excess fluid.</p> <p>Received an ACE inhibitor or ARB within 24 hours preceding surgery</p> <p>Did not receive an ACE inhibitor or ARB within 24 hours preceding surgery, no reason documented</p> <p>Documented evidence of contraindication: For each medication, check if the medication was not administered or ordered according to data specification timeframe as documented anywhere in the medical record. If a contraindication is documented explicitly as excluded for medical reasons, or is evidenced clearly within the medical record (notation of a medication allergy prior to arrival), check "Contraindication." Otherwise, do not check "Contraindication."</p> <p>See ACE-I/ARB Table on the next two pages for a list of the more common ACE-I/ARB medications. These tables are not meant to be all inclusive.</p>	<p>Admission assessment</p> <p>History & Physical</p> <p>Medication administration record</p> <p>Physician order sheet</p> <p>Pre-anesthesia record</p>

ACE Inhibitor/ARB Table

BRAND NAME	GENERIC NAME
ACE INHIBITOR	
Accupril	Quinapril
Aceon	Perindorpil
Altace	Ramipril
Capoten	Captopril
Lotensin	Benazepril
Mavik	Trandolapril
Monopril	Fosinopril
Univasc	Moexipril
Vasotec	Enalapril
Prinivil Zestril	Lisinopril
ACE INHIBITOR -COMBINATION	
Accuretic	Quinapril-HCT
Capozide	Captopril-HCT
Lexxel	Enalapril-Felodipine
Lotensin HCT	Benazepril-HCT
Lotrel	Benazepril-Amlodipine
Monopril HCT	Fosinopril-HCT
Prinizide Zestoretic	Lisinopril-HCT
Tarka	Trandolapril-Verapamil
Uniretic	Moexipril-HCT
Vasoteretic	Enalapril-HCT
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)	
Diovan	Valsartan
Atacand	Candesartan
Tevetan	Eprosartan
Avapro	Irbesartan
Cozaar	Losartan
Benicar	Olmесartan
Micardis	Telmisartan

ACE Inhibitor/ARB Table *(continued)*

BRAND NAME	GENERIC NAME
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs) COMBINATIONS	
Atacand HCT	Candesartan-Hydrochlorothiazide
Tevetan HCT	Eprosartan-Hydrochlorothiazide
Avalide	Irbesartan-Hydrochlorothiazide
Hyzaar	Losartan-Hydrochlorothiazide
Benicar HCT	Olmesartan-Hydrochlorothiazide
Micardis HCT	Telmisartan-Hydrochlorothiazide
Diovan HCT	Valsartan-Hydrochlorothiazide

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document
910	Meds-Nitrates-I.V.	<p>Indicate whether the patient received IV Nitrates within 24 hours preceding surgery, or if IV Nitrates were contraindicated or not indicated. The contraindication must be documented in the medical record by a physician, nurse practitioner, or physician assistant.</p> <p>-Yes</p> <p>-No</p> <p>-Contraindicated/Not Indicated</p>	<p>Nitrates act by increasing dilatation of the coronary arteries, thereby increasing blood flow to the myocardium and decreasing myocardial ischemic changes.</p> <p>Trade Name</p> <p>Nitroglycerin</p> <p>Received IV nitrates within 24 hours preceding surgery</p> <p>Did not receive IV nitrates within 24 hours preceding surgery, no reason documented</p> <p>Documented evidence of contraindication: For each medication, check if the medication was not administered or ordered according to data specification timeframe as documented anywhere in the medical record. If a contraindication is documented explicitly as excluded for medical reasons, or is evidenced clearly within the medical record (notation of a medication allergy prior to arrival), check "Contraindication." Otherwise, do not check "Contraindication."</p> <p><i>Example: A patient had 400 mcg of NTG intracoronary during a cardiac cath less than 24 hours pre- op: Do not code as preoperative IV NTG.</i></p>	<p>Admission assessment History & Physical Medication administration record Nursing notes Physician order sheet Pre-anesthesia record</p>

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document
930	Meds- Anticoagulants	<p>Indicate whether the patient received IV and/or subcutaneous anticoagulants within 48 hours preceding surgery, or if it was contraindicated or not indicated. The contraindication must be documented in the medical record by a physician, nurse practitioner, or physician assistant. Do NOT include Coumadin or one-time boluses of Heparin.</p> <p>-Yes</p> <p>-No</p> <p>-Contraindicated/Not Indicated</p>	<p>Inhibits platelet aggregation, used for the treatment and prevention of the formation of blood clots. Increases the viscosity of the blood cells</p> <p>Seq # 930 “Meds-Anticoagulants” clearly states that Coumadin should not be captured under Seq # 930. Coumadin should only be captured under Seq # 950, “Coumadin.” Do not capture Coumadin under Seq # 930.</p> <p>Received IV and/or subcutaneous anticoagulants within 48 hours preceding surgery</p> <p>Did not receive IV/or subcutaneous anticoagulants within 48 hours preceding surgery, no reason documented</p> <p>Documented evidence of contraindication: For each medication, check if the medication was not administered or ordered according to data specification timeframe as documented anywhere in the medical record. If a contraindication is documented explicitly as excluded for medical reasons, or is evidenced clearly within the medical record (notation of a medication allergy prior to arrival), check “Contraindication.” Otherwise, do not check “Contraindication.”</p> <p>See Anticoagulant Table on the next page for a list of the more common Anticoagulant medications. This table is not meant to be an all-inclusive list.</p>	<p>Admission assessment History & Physical Medication administration record Physician order sheet Pre-anesthesia record</p>

Anticoagulant Table

Brand Name	Generic Name
HEPARIN – UNFRACTIONATED	
	Heparin
HEPARIN LOW MOLECULAR WEIGHT – (Injectable)	
Fragmin	Dalteparin
Lovenox	Enoxaparin
Tinzaparin	Innohep
THROMBIN INHIBITORS	
Angiomax	Bivalirudin
Argatroban	Argatroban
Arixtra	Fondaparinux
Iprivask	Desirudin
Refludan	Lepirudin

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document
940	Meds- Anticoagulants- Medication Name	Indicate the name of the IV and/or subcutaneous anticoagulant the patient received within 48 hours preceding surgery. Heparin (Unfractionated) Heparin (Low Molecular) Thrombin Inhibibitors Other	These do not include the I Ib/IIIa inhibitors (see 1030/1040). Note: For Seq # 940 you will only be able to code one; Heparin (Unfractionated), Heparin (Low Molecular) or Thrombin.	Admission assessment History & Physical Medication administration record Physician order sheet Pre-anesthesia record

Sequence #	Data Field	Data Field Intent	Data Name Clarification	Source Document				
950	Meds-Coumadin	<p>Indicate whether the patient received Coumadin within 24 hours preceding surgery, or if it was contraindicated or not indicated. The contraindication must be documented in the medical record by a physician, nurse practitioner, or physician assistant.</p> <p>-Yes</p> <p>-No</p> <p>-Contraindicated/Not Indicated</p>	<p>Action is to prevent modification of vitamin K dependent factors (II, VII, IX, X).</p> <table border="0"> <tr> <td data-bbox="1136 350 1297 378">Trade Name</td> <td data-bbox="1419 350 1598 378">Generic Name</td> </tr> <tr> <td data-bbox="1136 418 1262 446">Coumadin</td> <td data-bbox="1381 418 1640 446">WARFARIN SODIUM</td> </tr> </table> <p>Preoperative Coumadin, given within 24 hours of surgery, is to be captured under Seq # 950, Meds-Coumadin rather than Seq # 930, Meds-Anticoagulants.</p> <p>Note: While Anisindione is taken orally, it is not Coumadin and should not be captured here.</p> <p>Received Coumadin within 24 hours preceding surgery</p> <p>Did not receive Coumadin 24 hours preceding surgery, no reason documented</p> <p>Documented evidence of contraindication: For each medication, check if the medication was not administered or ordered according to data specification timeframe as documented anywhere in the medical record. If a contraindication is documented explicitly as excluded for medical reasons, or is evidenced clearly within the medical record (notation of a medication allergy prior to arrival), check "Contraindication." Otherwise, do not check "Contraindication."</p>	Trade Name	Generic Name	Coumadin	WARFARIN SODIUM	<p>Admission assessment History & Physical Medication administration record Physician order sheet Pre-anesthesia record</p>
Trade Name	Generic Name							
Coumadin	WARFARIN SODIUM							

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document
970	Meds-Inotropes	<p>Indicate whether the patient received IV inotropic agents within 48 hours preceding surgery, or if contraindicated or not indicated. The contraindication must be documented in the medical record by a physician, nurse practitioner, or physician assistant.</p> <p>-Yes</p> <p>-No</p>	<p>Inotropic agent actions are at the cellular level, increasing intracellular calcium. Cardiovascular effects range from increasing or decreasing the heart rate, force of the heart muscle to contract, peripheral or extremity arterial or venous constriction. The force with which these systems are affected are dose dependent. As well, these drugs may lose their cardiovascular effect causing a negative response at higher dosing levels.</p> <p>Initiation of these drugs typically is in response to some hemodynamic instability in the patient.</p> <p>The chart below represents the various effects each drug has on each system with the degree of intensity represented by a + sign.</p> <p>(+ = mild, ++++ = intensive response). Identify the agonist (agent) and then the intensity it has on each receptor site. This is offered as an educational tool and opportunity to understand what may be observed clinically in relationship to the pharmacological therapies utilized.</p> <p>Note: Natrecor is a vasodilator and, although it is similar to Milrinone, it is not categorized as an inotrope.</p> <p>Received IV inotropes within 48 hours preceding surgery</p> <p>Did not receive IV inotropes within 48 hours preceding surgery, no reason documented</p>	<p>Admission assessment History & Physical Medication administration record Physician order sheet Pre-anesthesia record</p>

Sequence #	Data Field	Data Field Intent	Field Name Clarification						Source Document	
970 (continued)	Med-Inotropes	-Contraindicated/Not Indicated	<p>Documented evidence of contraindication: For each medication, check if the medication was not administered or ordered according to data specification timeframe as documented anywhere in the medical record. If a contraindication is documented explicitly as excluded for medical reasons, or is evidenced clearly within the medical record (notation of a medication allergy prior to arrival), check "Contraindication." Otherwise, do not check "Contraindication."</p> <p>See Inotrope Table on the next page for a list of the more common inotropic medications. This table is not meant to be an all-inclusive list.</p>							
Receptor Site	Heart	Systemic Arteries	Pulmonary Arteries	Veins	Agonist	Alpha ₁	Beta ₁	Beta ₂	D ₁ dopamine	D ₂ dopamine
Alpha ₁	0	↑ Constriction (+++)	↑ Constriction (+++)	↑ Constriction (+++)	Epinephrine	++++	+++	++	0	0
Beta ₁	↑ Rate (++) ↑ Contractility (+++) ↑ Artioventricular conduction (+++)	0	↑ Constriction	0	Norepinephrine	+++	+++	0	0	0
Beta ₂	? ↑ Rate ? ↑ Contractility	Dilatation (++)	Dilatation (+)	Dilatation (++)	Isoproterenol	0	++++	++++	0	0
D ₁ dopamine	0	Dilatation (++)	Dilatation (++)	0	Dopamine	++	+++	0	++++	++++
D ₂ dopamine	↓ Rate	Dilatation	?	?	Dobutamine	0	++++	++	0	0

Inotrope Table

Brand Name	Generic Name
	Dobutamine
	Dopamine
Adrenalin	Epinephrine
	Inamrinone
Isuprel	Isoproterenol
Aramine	Metaraminol
Primacor	Milrinone
Levophed	Norepinephrine
Neo-Synephrine	Phenylephrine

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document
980	Meds-Steroids	<p>Indicate whether the patient was taking steroids within 24 hours of surgery, or if it was contraindicated or not indicated. The contraindication must be documented in the medical record by a physician, nurse practitioner, or physician assistant. This does not include a one time dose related to prophylaxis therapy (i.e. IV dye exposure for cath procedure or surgery pre-induction period). Non-systemic medications are not included in this category (i.e., nasal sprays, topical creams).</p> <p>-Yes</p> <p>-No</p> <p>-Contraindicated/Not Indicated</p>	<p>Systemic delivery only; does not include topical or inhaler specific medications or nasal sprays. Does not include one time dose as part of clinical pathway guideline or procedure/surgical preparatory order.</p> <p>Received steroids within 24 hours preceding surgery</p> <p>Did not receive steroids within 24 hours preceding surgery, no reason documented</p> <p>Documented evidence of contraindication: For each medication, check if the medication was not administered or ordered according to data specification timeframe as documented anywhere in the medical record. If a contraindication is documented explicitly as excluded for medical reasons, or is evidenced clearly within the medical record (notation of a medication allergy prior to arrival), check "Contraindication." Otherwise, do not check "Contraindication."</p> <p>See Steroid Table on the next page for a list of the more common Steroid medications. This table is not meant to be an all-inclusive list.</p>	<p>Admission assessment History & Physical Medication administration record Physician order sheet Pre-anesthesia record</p>

Steroid Table

Brand Name	Generic Name
	Cortisone
Cortef Solu-cortef A-Hydrocort	Hydrocortisone
Florinef	Fludrocortisone
Deltasone Orasone Meticorten	Prednisone
Delta-Cortef	Prednisolone
Aristocort Kenacort	Triamcinolone
Medrol Solumedrol A-Methapred	Methylprednisolone
Decadron Dexasone	Dexamethasone
Celestone	Betamethasone

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document
990	Meds-Aspirin	<p>Indicate whether or not the patient received Aspirin or Ecotrin within 5 days preceding surgery, or if it was contraindicated or not indicated. The contraindication must be documented in the medical record by a physician, nurse practitioner, or physician assistant.</p> <p>-Yes</p> <p>-No</p> <p>-Contraindicated/Not Indicated</p>	<p>Anti-inflammatory, analgesic and antiplatelet action. Half-life of aspirin products is 5-7 days.</p> <p>Received Aspirin or Ecotrin within 5 days preceding surgery</p> <p>Did not receive Aspirin or Ecotrin within 5 days preceding surgery, no reason documented</p> <p>Documented evidence of contraindication: For each medication, check if the medication was not administered or ordered according to data specification timeframe as documented anywhere in the medical record. If a contraindication is documented explicitly as excluded for medical reasons, or is evidenced clearly within the medical record (notation of a medication allergy prior to arrival), check “Contraindication.” Otherwise, do not check “Contraindication.”</p> <p>See Aspirin Table on the next page for a list of the more common Aspirin medications. This table is not meant to be an all-inclusive list.</p>	<p>Admission assessment History & Physical Medication administration record Physician order sheet Pre-anesthesia record</p>

Aspirin Table

BRAND NAME	GENERIC NAME
ASPIRIN	
Easprin Ecotrin Empirin Genprin Halfprin Zorprin	Aspirin (Acetylsalicylic Acid)
Adprin-B Alka-Seltzer with Aspirin Ascription Ascriptin A/D Asprimox Bufferin Buffex Cama Magnaprin	Aspirin Buffered
Arthropan	Choline Salicylate
Magan Mobidin Nuprin Backache	Magnesium Salicylate
Amigesic Disalcid Salflex	Salsalte
SALICYLATE COMBINATIONS	
Choline Magnesium	Choline-Salicylate-MG Salicylate
Trilisate	

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document
1000	Meds-Lipid Lowering	<p>Indicate whether or not the patient received a lipid lowering medication within 24 hours preceding surgery, or if it was contraindicated or not indicated. The contraindication must be documented in the medical record by a physician, nurse practitioner, or physician assistant.</p> <p>-Yes</p> <p>-No</p> <p>-Contraindicated/Not Indicated</p>	<p>Medications administered to lower total cholesterol, LDL, HDL or triglyceride levels. Patient may be on prescribed medication and have normal cholesterol values, these patients should still be coded as “Yes” for dyslipidemia (Seq # 420).</p> <p>Note: Flaxseed oil does not qualify as a lipid lowering medication.</p> <p>Received lipid-lowering medications within 24 hours preceding surgery</p> <p>Did not receive lipid-lowering medications within 24 hours preceding surgery, no reason documented</p> <p>Documented evidence of contraindication: For each medication, check if the medication was not administered or ordered according to data specification timeframe as documented anywhere in the medical record. If a contraindication is documented explicitly as excluded for medical reasons, or is evidenced clearly within the medical record (notation of a medication allergy prior to arrival), check “Contraindication.” Otherwise, do not check “Contraindication.”</p> <p>See Antihyperlipidemic Agent Table on the next page for a list of the more common antihyperlipidemic medications. This table is not meant to be an all-inclusive list.</p>	<p>Admission assessment History & Physical Medication administration record Physician order sheet Pre-anesthesia record</p>

Antihyperlipidemic Agent Table

BRAND NAME	GENERIC NAME
HMG-CoA REDUCTASE INHIBITORS - STATINS*	
Altoprev Mevacor	Lovastatin
Crestor	Rosuvastatin
Lescol Lescol XL	Fluvastatin
Lipitor	Atorvastatin
Pravachol	Pravastatin
Zocor	Simvastatin
Altoprev	Lovastatin
HMG-COA REDUCTASE INHIBITOR COMBINATIONS STATIN COMBINATIONS*	
Advicor	Lovastatin - Niacin
Caduet	Atrovastatin-Amlodipine
Vytorin	Simvastatin and Ezetimibe
Advicor	Lovastatin-Niacin
FIBRIC ACID DERIVATIVES - NON-STATIN	
Antara Lofibra Tricor Triglide	Fenofibrate
Lopid	Gemfibrozil
BILE ACID SEQUESTRANTS	
Colestid	Colestipol
Prevalite Questran Questran Light	Cholestyramine
Welchol	Colesevelam
Colestid	Colestipol
OTHER	
Niacor Niaspan	Niacin (Nicotinic Acid)
Zetia	Ezetimibe

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document
1010	Meds-Lipid Lowering-Medication Name	<p>Indicate the type of lipid lowering medication the patient received within 24 hours preceding surgery.</p> <p>-Statin -Non-statin -Both</p>	<p>Indicate which lipid lowering medications the patient was on; statin or non-statin.</p> <p>See the Statin or Antihyperlipidemic Agent Table on the previous page for the list. This table is not meant to be an all-inclusive list.</p> <p>Medications with (*) indicate Statin drug.</p>	<p>Admission assessment History & Physical Medication administration record Physician order sheet Pre-anesthesia record</p>
1021	Meds-ADP Inhibitors Within Five Days	<p>Indicate whether the patient has received ADP Inhibitors within 5 days preceding surgery, or if it was contraindicated or not indicated. The contraindication must be documented in the medical record by a physician, nurse practitioner, or physician assistant.</p> <p>-Yes -No</p>	<p>ADP stands for Adenosine Diphosphate</p> <p>These medications (ADP inhibitors) inhibit platelet aggregation (clotting). They are often used to treat patients with a history of atherosclerotic cardiovascular disease and potentially reduce the incidence of major cardiovascular events (stroke, peripheral arterial disease events). Peak drug levels are reached within 3-7 days of initiated maintenance dosing, while termination of drug affects are not seen for 5 days after last dose.</p> <p>Received an ADP inhibitor within 5 days preceding surgery</p> <p>Did not receive an ADP inhibitor within 5 days preceding surgery, no reason documented</p>	<p>Admission assessment History & Physical Medication administration record Physician order sheet Pre-anesthesia record</p>

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document						
1021 (continued)	Meds-ADP Inhibitors Within Five Days	-Contraindicated/Not Indicated	<p>Documented evidence of contraindication: For each medication, check if the medication was not administered or ordered according to data specification timeframe as documented anywhere in the medical record. If a contraindication is documented explicitly as excluded for medical reasons, or is evidenced clearly within the medical record (notation of a medication allergy prior to arrival), check “Contraindication.” Otherwise, do not check “Contraindication.”</p> <p>The following drugs should be captured as ADP Inhibitors:</p> <table data-bbox="993 625 1480 760"> <thead> <tr> <th data-bbox="993 625 1249 657">Brand/Trade Name</th> <th data-bbox="1291 625 1480 657">Generic Name</th> </tr> </thead> <tbody> <tr> <td data-bbox="1039 690 1123 722">Plavix</td> <td data-bbox="1312 690 1459 722">Clopidogrel</td> </tr> <tr> <td data-bbox="1039 722 1123 755">Ticlid</td> <td data-bbox="1312 722 1459 755">Ticlodipine</td> </tr> </tbody> </table> <p>The following drugs should not be captured as ADP inhibitors: Persantine or Dipyridimole Aggrenox (Aspirin + Extended Release Dipyridimole)</p>	Brand/Trade Name	Generic Name	Plavix	Clopidogrel	Ticlid	Ticlodipine	
Brand/Trade Name	Generic Name									
Plavix	Clopidogrel									
Ticlid	Ticlodipine									

Sequence #	Data Field	Data Field Intent	Data Name Clarification	Source Document
1022	Meds-ADP Inhibitors Discontinuation	Indicate the number of days prior to surgery ADP Inhibitor use was discontinued. If less than 24 hours, enter "0."		History & Physical Medication administration record Physician order sheet
1023	Meds-Antiplatelets Within 5 Days	<p>Indicate whether the patient has received antiplatelets within 5 days preceding surgery, or if it was contraindicated or not indicated. The contraindication must be documented in the medical record by a physician, nurse practitioner, or physician assistant.</p> <p>-Yes</p> <p>-No</p> <p>-Contraindicated/Not Indicated</p>	<p>This field is intended to capture any antiplatelet drug that is not captured or reflected by the Aspirin, ADP inhibitor, and GP IIB/IIIA fields.</p> <p>Example: dipyridamole (Persantine)</p> <p>Received an antiplatelet within 5 days preceding surgery</p> <p>Did not receive an antiplatelet within 5 days preceding surgery, no reason documented</p> <p>Documented evidence of contraindication: For each medication, check if the medication was not administered or ordered according to data specification timeframe as documented anywhere in the medical record. If a contraindication is documented explicitly as excluded for medical reasons, or is evidenced clearly within the medical record (notation of a medication allergy prior to arrival), check "Contraindication." Otherwise, do not check "Contraindication."</p>	<p>Admission assessment</p> <p>History & Physical</p> <p>Medication administration record</p> <p>Physician order sheet</p> <p>Pre-anesthesia record</p>

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document								
1030	Meds-Glycoprotein I Ib/IIIa Inhibitor	<p>Indicate whether the patient received Glycoprotein I Ib/IIIa inhibitors within 24 hours preceding surgery, or if it was contraindicated or not indicated. The contraindication must be documented in the medical record by a physician, nurse practitioner, or physician assistant.</p> <p>-Yes</p> <p>-No</p> <p>-Contraindicated/Not Indicated</p>	<p>These medications are anti-platelet and thrombin agents.</p> <table border="0"> <thead> <tr> <th data-bbox="1052 326 1318 358">Brand/Trade Name</th> <th data-bbox="1318 326 1650 358">Generic Name</th> </tr> </thead> <tbody> <tr> <td data-bbox="1052 386 1318 418">ReoPro</td> <td data-bbox="1318 386 1650 418">Abciximab</td> </tr> <tr> <td data-bbox="1052 418 1318 451">Integrilin</td> <td data-bbox="1318 418 1650 451">Eptifibatide</td> </tr> <tr> <td data-bbox="1052 451 1318 483">Aggrastat</td> <td data-bbox="1318 451 1650 483">Tirofiban</td> </tr> </tbody> </table> <p>Received a Glycoprotein I Ib/IIIa inhibitor within 24 hours preceding surgery</p> <p>Did not receive a Glycoprotein I Ib/IIIa inhibitor within 24 hours preceding surgery, no reason documented</p> <p>Documented evidence of contraindication: For each medication, check if the medication was not administered or ordered according to data specification timeframe as documented anywhere in the medical record. If a contraindication is documented explicitly as excluded for medical reasons, or is evidenced clearly within the medical record (notation of a medication allergy prior to arrival), check “Contraindication.” Otherwise, do not check “Contraindication.”</p>	Brand/Trade Name	Generic Name	ReoPro	Abciximab	Integrilin	Eptifibatide	Aggrastat	Tirofiban	<p>Admission assessment History & Physical Medication administration record Physician order sheet Pre-anesthesia record</p>
Brand/Trade Name	Generic Name											
ReoPro	Abciximab											
Integrilin	Eptifibatide											
Aggrastat	Tirofiban											

Sequence #	Data Field	Data Field Intent	Field Name Clarification	Source Document								
1040	Meds-Glycoprotein IIb/IIIa Inhibitor Medication Name	Indicate the name of the Glycoprotein IIb/IIIa inhibitor the patient received within 24 hours preceding surgery.	Indicate which of the IIb/IIIa inhibitors listed above (Seq # 1030) was received. <table border="0"> <tr> <td data-bbox="1052 326 1318 354">Brand/Trade Name</td> <td data-bbox="1318 326 1650 354">Generic Name</td> </tr> <tr> <td data-bbox="1052 386 1318 414">ReoPro</td> <td data-bbox="1318 386 1650 414">Abciximab</td> </tr> <tr> <td data-bbox="1052 418 1318 446">Integrilin</td> <td data-bbox="1318 418 1650 446">Eptifibatid</td> </tr> <tr> <td data-bbox="1052 451 1318 479">Aggrastat</td> <td data-bbox="1318 451 1650 479">Tirofiban</td> </tr> </table>	Brand/Trade Name	Generic Name	ReoPro	Abciximab	Integrilin	Eptifibatid	Aggrastat	Tirofiban	Admission assessment History & Physical Medication administration record Physician order sheet Pre-anesthesia record
Brand/Trade Name	Generic Name											
ReoPro	Abciximab											
Integrilin	Eptifibatid											
Aggrastat	Tirofiban											