STS Measure- Prolonged Length of Stay following Valve Surgery

ntage of patients aged 18 years and older undergoing isolated valve surgery with an ent perative length of stay of more than 14 days whether patient is alive or dead at arge arge are age 18 and older undergoing (1) isolated aortic valve replacement (AVR) (2) isolated valve replacement (MVR); and (3) isolated mitral valve repair (MV Repair). On this age of patients undergoing isolated valve surgery with an inpatient postoperative length by of than 14 days whether patient is alive or dead at discharge whether patient is alive or dead at discharge are thospital stays increase cost and resource utilization. Analyzing the percentage of ants in this group will enable surgeons to identify patients at risk for prolonged length of and examine possible ways to mitigate risk, such as patient selection, timing of surgery, ptimal preoperative and postoperative management. Procedure Length of Stay (days) in calendar 2013
Into age 18 and older undergoing (1) isolated aortic valve replacement (AVR) (2) isolated a valve replacement (MVR); and (3) isolated mitral valve repair (MV Repair). In on this or of patients undergoing isolated valve surgery with an inpatient postoperative length y of than 14 days whether patient is alive or dead at discharge The of stay measures the number of days a patient spends in the hospital. Longer ent hospital stays increase cost and resource utilization. Analyzing the percentage of ints in this group will enable surgeons to identify patients at risk for prolonged length of and examine possible ways to mitigate risk, such as patient selection, timing of surgery, ptimal preoperative and postoperative management. Procedure Length of Stay (days) in calendar 2013
valve replacement (MVR); and (3) isolated mitral valve repair (MV Repair). onths or of patients undergoing isolated valve surgery with an inpatient postoperative length y of than 14 days whether patient is alive or dead at discharge h of stay measures the number of days a patient spends in the hospital. Longer ent hospital stays increase cost and resource utilization. Analyzing the percentage of ints in this group will enable surgeons to identify patients at risk for prolonged length of ind examine possible ways to mitigate risk, such as patient selection, timing of surgery, ptimal preoperative and postoperative management. Procedure Length of Stay (days) in calendar 2013
per of patients undergoing isolated valve surgery with an inpatient postoperative length y of than 14 days whether patient is alive or dead at discharge h of stay measures the number of days a patient spends in the hospital. Longer ent hospital stays increase cost and resource utilization. Analyzing the percentage of its in this group will enable surgeons to identify patients at risk for prolonged length of ind examine possible ways to mitigate risk, such as patient selection, timing of surgery, ptimal preoperative and postoperative management. Procedure Length of Stay (days) in calendar 2013
than 14 days whether patient is alive or dead at discharge h of stay measures the number of days a patient spends in the hospital. Longer ent hospital stays increase cost and resource utilization. Analyzing the percentage of its in this group will enable surgeons to identify patients at risk for prolonged length of ind examine possible ways to mitigate risk, such as patient selection, timing of surgery, ptimal preoperative and postoperative management. Procedure Length of Stay (days) in calendar 2013
than 14 days whether patient is alive or dead at discharge h of stay measures the number of days a patient spends in the hospital. Longer ent hospital stays increase cost and resource utilization. Analyzing the percentage of its in this group will enable surgeons to identify patients at risk for prolonged length of ind examine possible ways to mitigate risk, such as patient selection, timing of surgery, ptimal preoperative and postoperative management. Procedure Length of Stay (days) in calendar 2013
ent hospital stays increase cost and resource utilization. Analyzing the percentage of onts in this group will enable surgeons to identify patients at risk for prolonged length of and examine possible ways to mitigate risk, such as patient selection, timing of surgery, ptimal preoperative and postoperative management. Procedure Length of Stay (days) in calendar 2013
ent hospital stays increase cost and resource utilization. Analyzing the percentage of onts in this group will enable surgeons to identify patients at risk for prolonged length of and examine possible ways to mitigate risk, such as patient selection, timing of surgery, ptimal preoperative and postoperative management. Procedure Length of Stay (days) in calendar 2013
Procedure Length of Stay (days) in calendar 2013
Percentile