Society of Thoracic Surgeons

Congenital Heart Surgery Database Monthly Webinar

March 16, 2021



- Welcome and Introductions
- STS Update
- IQVIA Update
- User Feedback





STS Updates

2021 Harvest Schedule Posted on STS website

- https://www.sts.org/registries/sts-national-database/harvest-scheduleand-information
 - Spring 2021 Harvest close is TBD
 - Please continue using open submission and cleaning your data
 - STS will give Participants a minimum of two weeks notice prior to harvest close date
 - Includes procedures up through 12/31/2020

CHSD Training Manual

- March Updates posted
- Core Call last week responses are in progress

Primary Procedure Mismatch Report

- Important first step review Report Overview (IQVIA Library) to understand its currently functionality
- Primary Procedure assignment occurs in analysis at DCRI

Version 6.22 Upgrade


- Reviewing PostOp/Complications/Anesthesia
- Go live scheduled 1/1/2022
- Improved Training Manual
- Send feedback to <u>ljones@sts.org</u>

Have Experience? We Need You!

STS Mentorship Program

- Pairs experienced Data Managers with new Data Managers
- For more information contact Adie Dolan (adolan@sts.org)
- We need both mentors and mentees!!
- https://www.sts.org/registriesresearch-center/sts-nationaldatabase/sts-national-databasementorship-program

MENTOR



Patient Safety Awareness Week



Let's Collaborate!!!

- Highlight a Quality Improvement Initiative Implemented at your Hospital
- Please email <u>ljones@sts.org</u> to discuss





IQVIA February 2021 Release Update

The items below were released to production the weekend of Feb 27, 2021.

Items have been updated on the Notifications section within the platform.

Missing Variable Report

STS-5474 – MVR showing "ProCmplxCon3Ds3" as missing in the report even though field is not active on the case form.

CHSD Participant Dashboard Report

STS-5484 — STAT 4 filter is excluding cases assigned to LV Endocardial Fibroelastosis resection(3390) and Double root translocation(3400)

Primary Procedure Mismatch Enhancements

Items below were released on February 27 for the Primary Procedure Mismatch Report

Items have been updated on the Notifications section within the platform.

Primary Procedure Mismatch Report

STS-4386 – Report logic will be updated to include consideration for identified combination codes for primary procedure

STS-4371 – Add Kawashima procedure to the exception 1 code list for code list for consideration

STS-4387 – Report logic will be updated to consider the Kawashima procedure as the primary when coded in conjunction with a Glenn or Hemifontain procedure so it is never downgraded

Primary Procedure Mismatch Enhancements

CON'T - Items below were released on February 27 for the Primary Procedure Mismatch Report

Primary Procedure Mismatch Report

STS-4389 – Report logic will be updated to include specific rule for 3 identified VSD repairs when selected in combination with a PFO, Primary closure procedure

STS-4388 – Report logic will be updated to include specific "hybrid approach" codes to the exception rule 1 procedure specific factor lists

Hybrid Approach "Stage 1", Application of RPA and LPA bands (2160)

Hybrid Approach "Stage 1", Stent placement in arterial duct (PDA) (2170)

Hybrid Approach "Stage 1", Stent placement in arterial duct (PDA) + application of RPA (2180)

Primary Procedure Mismatch Report Defect

STS-5471 – report displaying mismatch between TOF repair, No ventriculotomy (350) and RVOT procedure (510), this will be resolved with the report enhancements.

IQVIA March 2021 Release Update

The items below will be released to production the weekend of March 27, 2021.

Primary Procedure Report

STS-6168 – Rule consideration is incorrect where the combo procedure is incorrectly being assigned as primary.

The report is displaying the STS primary procedure as the combination code 2110 (ASD Repair, Patch + PAPCV Repair) where it should display code 1180 (DORV, Intraventricular tunnel repair)

STS-6108 – Primary Procedure Mismatch Report Exception Rule 1 discrepancy.

The exception rule should suggest the highest stat value code of Norwood Procedure (870) instead of Superior Cavopulmonary anastomosis(es) + PA reconstruction (2130).

IQVIA Update

Please note: Submitted tickets are currently under review and the IQVIA support team will follow up on resolution and/or target release confirmation.


The IQVIA Team is currently reviewing items that will be released in an upcoming release. Those items will be posted to the Notifications section.



IQVIA Support Plan



Please include your Participant ID



IQVIA's Support Plan

• ^ Inquiries received outside live support hours will require a 24-hour turnaround window (i.e., one business day) for responses.

Resources

- STS National Database Webpage
- <u>STSTechSupport@IQVIA.com</u> (Uploader, DQR, Missing Variable, Dashboard, Password and Login)
- Phone Support: 1-833-256-7187
- STS National Database Feedback Form
- Resource Documents
 - Contact Information
 - Webinar Information
 - FAQ Document
 - Go-Live Checklist
 - Tiered-level Support Document
 - Training Videos
 - Link to IQVIA



Contact Information

- Leigh Ann Jones, STS National Database Manager,
 Congenital and General Thoracic
 - Ljones@sts.org
 - 312-202-5822
- Database Operational Questions
 - STSDB@sts.org

Upcoming CHSD Webinars

User Group Call

March 23 @ 12pm CT

Monthly Webinar

• April 20 @ 12pm CT

User Group Call

May 4 @ 12pm CT



Open Discussion



Please use the Q&A Function.



We will answer as many questions as possible.



We encourage your feedback and want to hear from you!

STS National Database

Trusted. Transformed. Real-Time.

THANK YOU FOR JOINING!